

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Hackensack Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	63	22	0	0	63	22
AIDS-CD4 Only	#	#	#	#	82	29
HIV Only	#	#	#	#	139	49
-----	-----	---	-----	---	-----	---
Total	281	100	#	#	284	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	#	#	#	#	91	32
5-12	#	#	Black, Not Hispanic	#	#	#	#	147	52
13-19	#	#	Hispanic	36	13	0	0	36	13
20-29	19	7	Other/Unknown	#	#	#	#	10	4
30-39	75	26	-----	-----	---	-----	---	-----	---
40-49	128	45	Total	281	100	#	#	284	100
50+	58	20							
Unk.	0	0							
-----	-----	---							
Total	284	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	82	42	0	0	82	29
Injection drug user (IDU)	42	22	28	33	70	25
MSM/IDU	7	4	0	0	7	3
Heterosexual contact	21	11	37	44	58	21
Risk not reported/other***	42	22	20	24	62	22
-----	-----	---	-----	---	-----	---
Total	194	100	85	100	279	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Hackensack Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	#	(#)	103	(32)
Other OI w/o PCP	#	(#)	#	(#)	#	(#)	#	(#)
KS Alone	#	(#)	#	(#)	#	(#)	#	(#)
No Disease Listed	113	(36)	31	(30)	0	(.)	113	(35)
Total	316	(100)	172	(58)	#	(#)	320	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	108	34
5-12	#	#	Black, Not Hispanic	#	#	#	#	172	54
13-19	0	0	Hispanic	39	12	0	0	39	12
20-29	43	13	Other/Unknown	#	#	#	#	#	#
30-39	147	46	-----	-----	-----	-----	-----	-----	-----
40-49	89	28	Total	316	100	#	#	320	100
Over 49	37	12							
Unknown	0	0							
Total	320	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	101	43	0	0	101	32
Injection drug user (IDU)	66	28	33	42	99	31
MSM/IDU	15	6	0	0	15	5
Heterosexual contact	18	8	32	41	50	16
Risk not reported/other***	37	16	13	17	50	16
Total	237	100	78	100	315	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	#	#	0	0	#	#
Total	#	#	#	#	5	100

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** # patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Hackensack Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	7	7	100%
1985	7	7	100%
1986	11	10	91%
1987	19	17	89%
1988	10	9	90%
1989	8	7	88%
1990	13	11	85%
1991	16	13	81%
1992	24	20	83%
1993	29	19	66%
1994	24	12	50%
1995	25	11	44%
1996	27	7	26%
1997	23	6	26%
1998	10	6	60%
1999	13	#	#
2000	22	#	#
2001	12	#	#
2002	9	#	#
2003	9	0	0%
2004	#	#	#
-----	-----	-----	-----
Total	320	175	55%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Hackensack Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	-----	---		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	#	#	#	#	46	32
5-12	0	0	Black, Not Hispanic	#	#	#	#	71	49
13-19	#	#	Hispanic	20	14	0	0	20	14
20-29	38	26	Other/Unknown	#	#	#	#	9	6
30-39	57	39	-----	-----	---	-----	---	-----	---
40-49	34	23	Total	143	100	#	#	146	100
Over 49	11	8							
Unknown	0	0							
-----	-----	---							
Total	146	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	33	34	0	0	33	23
Injection drug user (IDU)	27	28	15	33	42	29
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	23	24	11	24	34	24
-----	-----	---	-----	---	-----	---
Total	97	100	46	100	143	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Hackensack Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	207	44
AIDS-CD4 Only	113	25	0	0	113	24
HIV Only	#	#	#	#	146	31
-----	-----	---	-----	---	-----	---
Total	458	100	8	100	466	100

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	#	#	#	#	154	33
5-12	#	#	Black, Not Hispanic	#	#	#	#	243	52
13-19	5	1	Hispanic	59	13	0	0	59	13
20-29	97	21	Other/Unknown	#	#	#	#	10	2
30-39	205	44	-----	-----	---	-----	---	-----	---
40-49	108	23	Total	458	100	8	100	466	100
Over 49	43	9							
Unknown	0	0							
-----	-----	---							
Total	466	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	134	40	0	0	134	29
Injection drug user (IDU)	93	28	48	39	141	31
MSM/IDU	19	6	0	0	19	4
Heterosexual contact	28	8	52	42	80	17
Risk not reported/other***	60	18	24	19	84	18
-----	-----	---	-----	---	-----	---
Total	334	100	124	100	458	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	7	88
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	8	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Hackensack Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	8	7	88%
1985	11	8	73%
1986	14	13	93%
1987	23	19	83%
1988	18	13	72%
1989	12	10	83%
1990	22	18	82%
1991	23	18	78%
1992	41	19	46%
1993	33	14	42%
1994	27	8	30%
1995	34	10	29%
1996	33	6	18%
1997	35	6	17%
1998	24	5	21%
1999	21	#	#
2000	26	#	#
2001	24	#	#
2002	18	0	0%
2003	14	0	0%
2004	5	0	0%
-----	-----	-----	-----
Total	466	182	39%